


TCED
Trans-CanadaEnergiesDistribution



AutomotiveBatteries
Car and Light Truck batteries



TCEDWORLDWIDE



With more than 5000 products available, TCED is your complete energy solution.



All our batteries meet or exceed OEM quality requirements - built to exact BCI standards.



Quality products without compromise, combining performance, reliability and durability.



Reinforce your brand identity with our Custom Private Label Services.

TCED is fully dedicated to offering products that reflect our commitment to achieving and upholding high standards in all of our initiatives and services. As we are conscious of the constant challenges to offering the best solutions in terms of efficiency, we therefore provide you with TCED Worldwide's complete range of battery products, ensuring high-performance, reliability and durability.

Automotive Batteries

Car and Light Truck batteries



TCEDWORLDWIDE Car and light truck batteries

Product	CA	CCA	Length	Width	Height	Polarity	Term	Volts	Weight	
									(kg)	(lb)
24-56	625	500	10,2"/259 mm	6,8"/173 mm	9"/229 mm	+ -	A	12	16 kg	35 lb
24-75	850	675	10,2"/259 mm	6,8"/173 mm	9"/229 mm	+ -	A	12	20 kg	44 lb
24F-75	850	675	10,2"/259 mm	6,8"/173 mm	9"/229 mm	- +	A	12	20 kg	44 lb
25-60	710	580	9"/229 mm	6,8"/173 mm	8,9"/225 mm	+ -	A	12	17 kg	37 lb
26-60	650	520	8,2"/208 mm	6,8"/173 mm	8,1"/205 mm	+ -	A	12	13 kg	28 lb
26R-60	650	520	8,2"/208 mm	6,8"/173 mm	8,1"/205 mm	- +	A	12	13 kg	28 lb
27-70	910	780	12"/304 mm	6,8"/173 mm	8,9"/225 mm	+ -	A	12	20 kg	44 lb
27F-70	910	780	12"/304 mm	6,8"/173 mm	8,9"/225 mm	- +	A	12	20 kg	44 lb
34-77	840	710	10,2"/259 mm	6,8"/173 mm	8"/203 mm	+ -	A	12	17 kg	37 lb
35-60	675	540	9"/229 mm	6,9"/175 mm	8,9"/225 mm	- +	A	12	15 kg	33 lb
36R-65	810	650	10,4"/264 mm	7,2"/183 mm	8,2"/208 mm	- +	A	12	18 kg	40 lb
40R-60	750	590	11"/278 mm	6,9"/175 mm	6,9"/175 mm	- +	A	12	16 kg	35 lb
42-56	560	430	9,5"/242 mm	6,9"/175 mm	6,9"/175 mm	- +	A	12	12 kg	27 lb
47-55	680	550	9,5"/242 mm	6,9"/175 mm	7,5"/190 mm	- +	A	12	14 kg	31 lb
48-65	810	650	11"/278 mm	6,9"/175 mm	7,5"/190 mm	- +	A	12	16 kg	36 lb
49-85	1030	850	13,9"/353 mm	6,9"/175 mm	7,5"/190 mm	- +	A	12	22 kg	49 lb
50-60	750	600	13,5"/343 mm	5"/127 mm	10"/254 mm	+ -	A	12	19 kg	41 lb
51-43	560	430	9,4"/238 mm	5"/127 mm	8,9"/225 mm	+ -	A	12	12 kg	25 lb
51-50	640	515	9,4"/238 mm	5"/127 mm	8,9"/225 mm	+ -	A	12	13 kg	28 lb
51R-43	560	430	9,4"/238 mm	5"/127 mm	8,9"/225 mm	- +	A	12	12 kg	25 lb
51R-50	640	515	9,4"/238 mm	5"/127 mm	8,9"/225 mm	- +	A	12	13 kg	28 lb
55-50	660	525	8,6"/218 mm	6"/152 mm	8,4"/212 mm	- +	A	12	13 kg	29 lb
58-62	660	530	10"/254 mm	7,2"/183 mm	6,9"/175 mm	+ -	A	12	14 kg	31 lb
58R-62	660	530	10"/254 mm	7,2"/183 mm	6,9"/175 mm	- +	A	12	14 kg	31 lb
59-60	735	590	10,1"/256 mm	7,5"/190 mm	7,8"/196 mm	+ -	A	12	13 kg	29 lb
65-85	1060	850	11,4"/209 mm	7,5"/190 mm	7,7"/196 mm	+ -	A	12	20 kg	44 lb
70-50	650	520	8,2"/208 mm	6,8"/173 mm	7,5"/191 mm	+ -	S	12	12 kg	26 lb
75-70	790	660	9,1"/230 mm	7"/178 mm	7,3"/185 mm	+ -	S	12	16 kg	35 lb
78-77	890	710	10,2"/260 mm	7"/178 mm	7,5"/191 mm	+ -	S	12	18 kg	40 lb
79-85	1060	840	12,1"/307 mm	7,1"/179 mm	7,4"/188 mm	+ -	S	12	20 kg	44 lb



Our 35,000 square foot warehouse



Automotive Batteries

Car and Light Truck batteries

TCED WORLDWIDE Car and light truck batteries

Product	CA	CCA	Length	Width	Height	Polarity	Term	Volts	Weight	
									(kg)	(lb)
85-65	785	630	9,1"/230 mm	6,7"/171 mm	8,1"/205 mm		A	12	15 kg	33 lb
86-70	790	660	9,1"/230 mm	6,7"/171 mm	8,1"/205 mm		A	12	13 kg	28 lb
90-60	730	590	9,5"/242 mm	6,9"/175 mm	6,9"/175 mm		A	12	15 kg	34 lb
91-61	740	610	11"/278 mm	6,9"/175 mm	6,9"/175 mm		A	12	16 kg	35 lb
92-70	860	730	12,4"/315 mm	6,9"/175 mm	6,9"/175 mm		A	12	18 kg	40 lb
93-82	950	820	13,9"/353 mm	6,9"/175 mm	6,9"/175 mm		A	12	20 kg	44 lb
94R-75	905	775	12,7"/315 mm	6,9"/175 mm	7,5"/190 mm		A	12	22 kg	49 lb
95R-90	1085	900	15,5"/394 mm	6,9"/175 mm	7,5"/190 mm		A	12	29 kg	61 lb
96R-60	710	590	9,5"/242 mm	6,9"/175 mm	6,9"/175 mm		A	12	15 kg	33 lb
101-65	812	650	10,2"/259 mm	6,8"/173 mm	6,7"/170 mm		S	12	17 kg	37 lb
151R-35	470	360	7,25"/184 mm	4,9"/124 mm	8,9"/227 mm		A	12	12 kg	26 lb
DT-50	650	520	8,2"/208 mm	6,8"/173 mm	8,1"/205 mm		A/S	12	13 kg	29 lb
DT-75	840	710	9,1"/230 mm	6,9"/175 mm	8,9"/225 mm		A/S	12	15 kg	33 lb
DT-85	1000	800	10,2"/260 mm	6,8"/173 mm	8,1"/205 mm		A/S	12	18 kg	40 lb

TCED WORLDWIDE Lawn Tractor batteries

Product	CA	CCA	Length	Width	Height	Polarity	Term	Volts	Weight	
									(kg)	(lb)
U1-250W	235	195	7.8"/197 mm	5.1"/130 mm	7.2"/183 mm		X	12	7 kg	15 lb
U1R-250W	235	195	7.8"/197 mm	5.1"/130 mm	7.2"/183 mm		X	12	7 kg	15 lb
U1-410	390	300	7.8"/197 mm	5.1"/130 mm	7.2"/183 mm		X	12	6 kg	13 lb
U1R-410	390	300	7.8"/197 mm	5.1"/130 mm	7.2"/183 mm		X	12	6 kg	13 lb
U1-410W	400	300	7.8"/197 mm	5.1"/130 mm	7.2"/183 mm		X	12	8 kg	17 lb
U1R-410W	400	300	7.8"/197 mm	5.1"/130 mm	7.2"/183 mm		X	12	7 kg	15 lb



700, chemin Grand Bernier Nord
 Saint-Jean-sur-Richelieu
 (Québec) J2W 2H1
 T 450 348-8720
 Sans frais 1 855 348-8720

TCED.ca

**"WE DELIVER
POWER!"**